


HP Web Jetadmin

Alerts Discovery

Jim Metz

Technical Marketing – HP Web Jetadmin
Hewlett Packard





■ Definition

- Web based management solution for remotely installing, monitoring and troubleshooting network connected printers

■ Emphasize

- access anywhere via web using standard web browser
- multi-vendor printer management
- one central data base

Helpdesk Usage



- Quick device find
- View status
- Online/offline
- Test page
- Power cycle printer
- Reset printer
- Reduce printer visits
- View/upgrade firmware
- Alerts

Quick Device Find

The screenshot displays the HP iNvent Device Management interface. On the left is a navigation pane with a tree view under 'Device Management'. Below it is an 'at a glance' section containing three panels: 'quick device find', 'last discovery completed', and 'monitored devices'. The 'quick device find' panel is circled in red and contains a search input field and a 'Go' button. The main area is titled 'Device List' and features a 'Toolbox' with 'View', 'Filter', 'Device Tools', and 'device cache tools' options. Below the toolbox is a table of discovered devices. At the bottom, it states 'Displaying 991 of 991 possible devices.' and includes 'Print...' and 'Export...' buttons.


| | Device Model | Hardware Address | Port | IP Address | IP Hostname | IPX Name |
|--|------------------------|------------------|------|--------------|-----------------------|-----------|
| | HP LaserJet 4100 MFP | 0001E638C62B | 1 | 15.2.213.99 | npi38c62b.boi.hp.com | NPI38C62B |
| | HP LaserJet 4100 | 00108356C0FD | 1 | 15.2.213.124 | l43dhcp321.boi.hp.com | NPI56C0FD |
| | HP DesignJet 755CM | 0030C154F46B | 1 | 15.2.214.12 | npi54f46b.boi.hp.com | NPI54F46B |
| | HP Mopier 320 | 0060B043C3DA | 1 | 15.2.214.13 | npi43c3da.boi.hp.com | NPI43C3DA |
| | HP Color LaserJet 8500 | 0060B04259B2 | 1 | 15.2.214.14 | npi6ee706.boi.hp.com | NPI4259B2 |
| | HP LaserJet 8150 | 0060B0E865C8 | 1 | 15.2.214.16 | npi6ee706.boi.hp.com | NPIE865C8 |
| | HP Color LaserJet 8500 | 0060B07620B7 | 1 | 15.2.214.17 | npi7620b7.boi.hp.com | NPI7620B7 |
| | HP LaserJet 5000 | 0010832899DB | 1 | 15.2.214.18 | npi2899db.boi.hp.com | NPI2899DB |

Sort by Column

The screenshot shows the HP Invent Device Management interface. On the left is a navigation pane with a tree view containing folders like 'Device Management', 'Device Lists', 'Device Groups', 'Device Cache', 'Management Settings', 'Discovery', 'Network Settings', and 'Views'. Below this is a 'quick device find' search box and a 'last discovery completed' status section. The main area is titled 'Device List' and contains a table of devices. The table has columns for Device Model, Hardware Address, Port, IP Address, IP Hostname, and IPX Name. A 'Toolbox' is visible above the table, with a 'Device Tools' menu open, showing 'Choose Action...'. A red dashed box highlights the 'IP Address' column and the 'Device Tools' menu. At the bottom of the table, it says 'Displaying 991 of 991 possible devices.' and there are 'Print...' and 'Export...' buttons.

| Device Model | Hardware Address | Port | IP Address | IP Hostname | IPX Name |
|------------------------|------------------|------|--------------|------------------------|-----------|
| HP LaserJet 4100 MFP | 0001E638C62B | 1 | 15.2.213.99 | np138c62b.boi.hp.com | NPI38C62B |
| HP LaserJet 4100 | 00108356C0FD | 1 | 15.2.213.124 | np143dhp321.boi.hp.com | NPI56C0FD |
| HP DesignJet 755CM | 0030C154F46B | 1 | 15.2.214.12 | np154f46b.boi.hp.com | NPI54F46B |
| HP Mopier 320 | 0060B043C3DA | 1 | 15.2.214.13 | np143c3da.boi.hp.com | NPI43C3DA |
| HP Color LaserJet 8500 | 0060B04259B2 | 1 | 15.2.214.14 | np16ee706.boi.hp.com | NPI4259B2 |
| HP LaserJet 8150 | 0060B0E865C8 | 1 | 15.2.214.16 | np1e865c8.boi.hp.com | NPIE865C8 |
| HP Color LaserJet 8500 | 0060B07620B7 | 1 | 15.2.214.17 | np17620b7.boi.hp.com | NPI7620B7 |
| HP LaserJet 5000 | 0010832899DB | 1 | 15.2.214.18 | np12899db.boi.hp.com | NPI2899DB |

Configurable Columns



Customized Device Views

The screenshot displays the HP Web Jetadmin interface within a Microsoft Internet Explorer browser window. The browser title is "HP Web Jetadmin - Main Page - Microsoft Internet Explorer provided by Hewlett-Packard". The address bar shows "http://15.62.47.34:8000".

The main content area is titled "Device List (Filtered)". It features a "Toolbox" with the following controls:

- View:** A dropdown menu is open, showing options: Default View, Status View, Detailed View, Asset View, Jetdirect View, Page Count View, Export View, and "jim" (which is selected).
- Filter:** A dropdown menu showing "No Applied Filter".
- Device Tools:** A dropdown menu showing "Choose Action...".
- Device Cache:** A dropdown menu showing "Choose Action...".

The main content area displays "Retrieving Device Information..." and "0 Devices".

On the left side, there is a "Navigation" panel with a "Device Management" dropdown and a tree view containing: Device Management, Device Lists, Device Groups, Device Cache, Management Settings, Tools, and Help. Below this is an "At a Glance" section with "Quick Device Find", "Last Discovery Completed" (No Discovery Has Been Finished), and "Monitored Devices" (0 Monitored Devices).

Filters

Filter Tool - Microsoft Internet Explorer provided by Hewlett-Packard

Filter Tool

Filter Tool: ?

Property: All Devices Operator: Contains Criteria: Add Filter Basic...

Property: Device Model Operator: Contains Criteria: 4050 X Save Filters Apply

- Device Model
- Hardware Address
- IP Address
- IP Hostname
- IPX Name
- IPX Address
- Jetdirect Model
- Jetdirect Revision
- PPM Black & White
- PPM Color
- Status

Site Mapping

Edit Map - Device Group: LJ 4050

Map Tools

Edit Options

- Add
- Remove
- Move

Item Type

- Device
- Device Group
- URL

Available Devices

0030C10AF368,1

Current Device:
Model: HP LaserJet 4050
IP Address: 15.62.71.155
IP Name:

Directions

1. Specify Device
2. Click on Map

View Map Change Map Return to Device Group

Remote Control Panel

The screenshot shows a Microsoft Internet Explorer browser window displaying the HP Web Jetadmin interface. The address bar shows `http://metz:8000`. The page title is "HP Web Jetadmin - Main Page - Microsoft Internet Explorer provided by Hewlett-Packard".

The interface is divided into several sections:

- Navigation:** A sidebar on the left with a "Device Management" dropdown menu and a tree view containing: Device Management, Device Lists, Device Groups, Device Cache, Management Settings, Tools, and Help.
- At a Glance:** A section with three panels:
 - Quick Device Find:** A search box containing "15.62.46.83" and a "Go" button.
 - Last Discovery Completed:** A status indicator showing "No Discovery Has Been Finished".
 - Monitored Devices:** A link to "Monitored Devices".
- Configuration Categories:** A central panel with a "Configuration" dropdown and a "Go" button. It lists categories: Quick Set, Device, Network, Security, Media Administration, and Tray Administration. Below these is a "Remote Control Panel" section with an "Edit Quick Set" button.
- Remote Front Panel:** A control area for the printer's front panel. It shows "POWERSAVE ON" in a green box, with "GO" and "Cancel" buttons. Below this is a table for configuration:

| Menu | Item | Value |
|------|------|-------|
| - | + | - |
| + | - | + |
| - | + | - |
| ? | | |

 A "Select" button is located to the right of the table.
- LED Panel:** A section showing the status of three LEDs: "Ready" (green), "Data" (black), and "Attention" (black).

The status bar at the bottom of the browser window shows "Done" and "Local intranet".

Diagnostics

The screenshot displays the HP Web Jetadmin interface in Microsoft Internet Explorer. The browser window title is "HP Web Jetadmin - Main Page - Microsoft Internet Explorer provided by Hewlett-Packard". The address bar shows "http://metz:8000".

The main content area is titled "Device Diagnostics - HP LaserJet 4050 - 15.62.46.83". It features a navigation pane on the left with "Navigation" and "At a Glance" sections. The "Navigation" section includes "Device Management" and a tree view with items like "Device Lists", "Device Groups", "Device Cache", "Management Settings", and "Tools". The "At a Glance" section has a "Quick Device Find" field with the IP address "15.62.46.83" and a "Go" button. Below it, it states "Last Discovery Completed" and "No Discovery Has Been Finished". At the bottom, it shows "Monitored Devices" with a count of 0.

The main diagnostic area is divided into "Diagnostic Categories" and "device" details. The "Diagnostic Categories" list includes:

- device
- jet direct
- TCP/IP
- netware
- IPX/SPX
- ethertalk
- DLC/LLC
- usage meters

The "device" section is divided into "general" and "consumables" information.

general

| | |
|---------------------|--|
| Standard Printer ID | HP LaserJet 4050 |
| device ID string | MANUFACTURER:Hewlett-Packard COMMAND SET:PJL MLC PCL PCLXL POSTSCRIPT MODEL:HP LaserJet 4050 Series CLASS:PRINTER DESCRIPTION:Hewlett-Packard LaserJet 4050 Series |
| device status | Tray 3 Empty |
| system contact | |
| description | |
| Firmware Date | Wednesday December 30, 1998 |
| engine page count | 7262 |
| serial number | USQX003246 |




consumables

Black Toner (10%)

A progress bar shows the toner level at 10%.


Firmware Upgrades

Jetdirect Firmware Update

HP Devices (Select All That Should Be Modified)

| Device Model | Hardware Address | Port | IP Address | IP Hostname | IP |
|------------------|------------------|------|-------------|--------------|----|
| HP LaserJet 4050 | 0060B0F827F9 | 1 | 15.62.46.83 | l83dhcp492.b | ▲ |
| HP LaserJet 4050 | 0001E63AA04F | 1 | 15.62.46.10 | l83dhcp261.b | |
| HP LaserJet 4050 | 080009E55DD4 | 1 | 15.62.42.50 | hpb20276.boi | |
| HP LaserJet 4050 | 0060B0C6BCDB | 1 | 15.62.42.62 | npic6bcd.b | |
| HP LaserJet 4050 | 0010831A3850 | 1 | 15.62.41.14 | hpb17359.boi | |

Continue If an Individual Device Upgrade Fails 

Displaying 5 of 5 Possible Devices

Next Step

Click "Download" to download the latest firmware versions from the HP Web site.

Test Page

The screenshot shows a Microsoft Internet Explorer browser window titled "HP Web Jetadmin - Main Page - Microsoft Internet Explorer provided by Hewlett-Packard". The address bar shows "http://metz:8000". The browser's menu bar includes File, Edit, View, Favorites, Tools, and Help. The toolbar contains Back, Forward, Stop, Home, Search, Favorites, History, and Print. The main content area is divided into two columns. The left column features the HP logo with "invent" below it, a "Navigation" section with a "Device Management" dropdown, and an "At a Glance" section. The "At a Glance" section includes a "Quick Device Find" field with the IP address "15.62.46.83" and a "Go" button, a "Last Discovery Completed" section stating "No Discovery Has Been Finished", and a "Monitored Devices" section showing "0 Monitored Devices". The right column is titled "device test page -- HP LaserJet 4050 - 15.62.46.83" and contains a "Test Page" dropdown menu with a "Go" button and a "Print" button. The status bar at the bottom shows "Done" and "Local intranet".

Reset Options

The screenshot shows a Microsoft Internet Explorer browser window displaying the HP Web Jetadmin interface. The browser's address bar shows the URL `http://metz:8000`. The page title is "Device Reset - HP LaserJet 4050 - l83dhcp492.boi.hp.com".

The interface includes a navigation sidebar on the left with the HP logo and the text "invent". The sidebar contains sections for "Navigation" (with a "Device Management" dropdown) and "At a Glance" (with "Quick Device Find", "Last Discovery Completed", and "Monitored Devices" sections). The "Quick Device Find" section has an input field containing "15.62.46.83" and a "Go" button. The "Monitored Devices" section shows "0 Monitored Devices".

The main content area is titled "Device Reset Options" and features a "Reset Options" dropdown menu with a "Go" button. Below this, there are five rows of reset options, each with a label, a help icon (?), and an "Apply" button:

- Power Cycle Printer: ? Apply
- Reset Printer to Factory Defaults: ? Apply
- Restart NetWare Connections: ? Apply
- Restart IPX/SPX Stack: ? Apply
- Reset IPX/SPX Stack to Factory Defaults: ? Apply

The browser's status bar at the bottom shows "Done" and "Local intranet".

Show Status








Group: 4050

Home | Help | ?

Toolbox

View: ? Filter: ? Device Tools ? Device Group Tools:


Status View No Applied Filter Choose Action... Choose Action...


| | Device Model | Hardware Address | Port | Description | Device Status |
|---|------------------|------------------|------|-----------------|---------------|
|  | HP LaserJet 4050 | 0001E63AA04F | 1 | R62C35 | Power Save On |
|  | HP LaserJet 4050 | 0060B0706CB0 | 1 | | Power Save On |
|  | HP LaserJet 4050 | 00108356D024 | 1 | | Power Save On |
|  | HP LaserJet 4050 | 0060B0F827F9 | 1 | | Tray 3 Empty |
|  | HP LaserJet 4050 | 0060B0F9F740 | 1 | Darby's LJ4050N | Power Save On |
|  | HP LaserJet 4050 | 0060B0F35919 | 1 | | Power Save On |
|  | HP LaserJet 4050 | 0030C10377F5 | 1 | | Online |

Displaying 8 of 8 Possible Devices


Alerts


- Alerts allow for proactive e-mail messages to be sent when printer errors occur





Polling





Configuring Alerts

- Inform HP Web Jetadmin of the location of an SMTP mail server
- Select devices to be monitored
- Configure which events will be monitored
- Specify which Email addresses will receive notifications
- Set the Time to Wait for Duplicate Alerts
- Set the size of the alert (mobile, concise, verbose)
- Specify the language for the alert

Network Settings - SMTP

The screenshot shows a Microsoft Internet Explorer browser window displaying the HP Web Jetadmin interface. The address bar shows `http://metz:8000`. The page title is "HP Web Jetadmin - Main Page - Microsoft Internet Explorer provided by Hewlett-Packard".

The main content area is titled "Network Settings -- SMTP" and contains two sections:

- Configure SMTP Server:** A form with a text input field containing "mail.boi.hp.com" and an "Apply" button.
- Send Test Message:** A form with a text input field containing "mail.boi.hp.com", two empty text input fields for "To:" and "From:", and a "Test" button.

Below the "Send Test Message" section is a link: [Return to Alerts Configuration](#).

The left sidebar contains the HP logo and "invent" text, followed by a "Navigation" section with a "Device Management" dropdown menu. Below that is an "At a Glance" section with three sub-sections:

- Quick Device Find:** A text input field with "15.62.46.83" and a "Go" button.
- Last Discovery Completed:** A status indicator showing "No Discovery Has Been Finished".
- Monitored Devices:** A status indicator showing "0 Monitored Devices".

The browser's status bar at the bottom shows "Done" and "Local intranet".

Enabling Alerts on Devices

Device Alert Settings: HP LaserJet 4050 - 15.62.46.83

Alerts Go

Enable Alerts for This Device

HP Web Jetadmin - Main Page - Microsoft Internet Explorer provided by Hewlett-Packard

Address: http://mjetz:8000

HP Web Jetadmin Alerts Monitored Devices

Monitored Devices

| Device Model | Device Name | Port | Output Bin Full | Cover Open | Drum life out |
|-----------------------|-----------------------|------|-----------------|------------|---------------|
| HP LaserJet 4050 Seri | l83dhcp492.boi.hp.com | 1 | Disabled | Disabled | Not Available |

Available Devices

| Device Model | Hardware Address | Port | IP Address | IPX Name |
|------------------------|------------------|------|---------------|-----------|
| HP Color LaserJet 8550 | 001083757650 | 1 | 15.237.19.102 | NPI757650 |
| HP Color LaserJet 8550 | 0001E6013AC3 | 1 | 15.62.41.206 | NPI013AC3 |
| HP Color LaserJet 8550 | 00108394AF89 | 1 | 15.237.19.39 | NPI94AF89 |
| HP Color LaserJet 8550 | 0060B0E8C623 | 1 | 15.62.45.10 | NPIE8C623 |
| HP Color LaserJet 8550 | 001083938F23 | 1 | 15.62.71.89 | NPI938F23 |

Displaying 608 of 886 Possible Devices

Alerts – Configuring Events

HP Web Jetadmin Default Alert Settings

Monitored Alert Settings ?

Alert Categories

- Monitored
 - Media Path Alerts Monitor
 - Advisory Alerts Stop Monitoring
 - Service Alerts
 - Supplies Alerts
- Not Monitored
 - Media Path Alerts
 - Advisory Alerts
 - Service Alerts
 - Supplies Alerts

Time to Ignore Duplicate Alerts ?

Days: 0 Hours: 0 Minutes: 0

Email Settings ?

Add Email Address from List
xyz@hp.com (English)

| Email Address | Language |
|--------------------|----------|
| No Alerts Selected | |

Add New Email Address

English
 Remember this address for other users.

Remove Selected Email Address

Alert Email Format ?
 Mobile
 Concise
 Verbose

- Media Path Alerts
 - Output Bin Full
 - Paper Jam
 - Cover Open
 - High Capacity Input Error
 - High Capacity Output Error
 - Stapler Error
 - Envelope Feeder Error
- Advisory Alerts
 - Configure Paper
 - Out of Memory
 - Manual Feed Needed
- Service Alerts
 - Offline
 - Printer Error
 - Intervention Needed
 - Carriage Stalled
- Supplies Alerts
 - Paper Out
 - Toner Out
 - Toner Low
 - Ink Error
 - Cartridge/Toner low 5%
 - Cartridge/Toner low 10%
 - Cartridge/Toner low 15%
 - Cartridge/Toner low 20%
 - Fuser life low 20%
 - Transfer kit low 20%
 - Drum life low 20%
 - Perform printer maintenance
 - Fuser life out
 - Transfer kit out
 - Drum life out

Time to Wait for Duplicate Alerts

The screenshot displays the HP Web Jetadmin interface for configuring alert settings. On the left, a navigation pane shows the 'Alerts' section expanded to 'Default Settings'. The main content area is titled 'HP Web Jetadmin Default Alert Settings' and contains several sections:

- Monitored Alert Settings:** A tree view shows 'Alert Categories' > 'Monitored' > 'Media Path Alerts' > 'Cover Open'. A red box highlights the 'Time to Ignore Duplicate Alerts' setting, which is currently set to '1 days, 0 hours, 0 min'. Buttons for 'Monitor' and 'Stop Monitoring' are visible.
- Time to Ignore Duplicate Alerts:** A separate section with a red box around it, showing a form with 'Days: 1', 'Hours: 0', and 'Minutes: 0', followed by an 'Apply' button.
- Email Settings:** Includes an 'Add Email Address from List' dropdown, an 'Add New Email Address' form with a language dropdown (set to 'English') and an 'Add New' button, and a 'Remove Selected Email Address' button.

At the bottom of the interface, a status bar shows 'Done' and 'Local intranet'.

Alert Styles

Mobile

```

Event: "Cover Open"
Device Name: "I71dhcp18.boi.hp.com"
Detailed device information: http://ats-wja:8000/dev/0001E63AECD3
    
```

Concise

```

Event:
"Cover Open"
Front Panel:
    "CLOSE TOP COVER"
    ""
    ""
    ""
    ""
    ""

Device Name: "I71dhcp18.boi.hp.com"
Help Resources: Detailed device information:
"http://ats-wja:8000/dev/0001E63AECD3"
Contact Information: ""
    
```

Verbose

```

Event:
"Cover Open"
Front Panel:
"CLOSE TOP COVER"
""
""
""
""
""

Device Information:
IP Hostname: "I71dhcp18.boi.hp.com"
IP Address: "15.2.201.206"
Hardware Address: "0001E63AECD3"
IPX Name:
    "NPI3AECD3"
IPX Address:
    "0F02CC10.0001E63AECD3"
Device Model: "HP LaserJet 4050"
Serial Number: "XXXXXXXXXX"
Asset Number: ""
Description: ""
Help Resources: Detailed device information:
"http://ats-wja:8000/dev/0001E63AECD3"
Contact Information: ""
    
```

Alerts – Copy Settings

HP Web Jetadmin - Main Page - Microsoft Internet Explorer provided by Hewlett-Packard

Address: http://metz:8000

HP Web Jetadmin Copy Alert Settings

Monitored Devices

Edit Device Copy Settings

| Device Model | Device Name | Port | Output Bin Full | Cover Open | Drum life out |
|-----------------------|-----------------------|------|-----------------|------------|---------------|
| HP LaserJet 4050 Seri | i83dhcp492.boi.hp.com | 1 | Disabled | Disabled | Not Available |

Navigation:

- Device Management
 - Device Cache
 - Management Settings
 - Tools
 - Multiple Device Configuration
 - Printer Firmware Update
 - Jetdirect Firmware Update
 - Alerts
 - Default Settings
 - Monitored Devices
 - Copy Alert Settings
 - Email Administration
 - Receiver Settings


At a Glance:

Quick Device Find ?
15.62.46.83 Go

Last Discovery Completed ?
No Discovery Has Been Finished

Monitored Devices ?
 1 Monitored Devices
 0 Critical Devices
 0 Caution Devices

Done Local intranet



■ Definition

- Discovery is the process of searching the network for devices, storing them in a cache, and displaying the results in a list.

Discovery Properties

hp invent

Navigation

Device Management

- Device Management
 - Device Lists
 - Device Groups
 - Device Cache
 - Management Settings
 - Discovery
 - Discovery Results
 - Properties
 - Schedule
 - IP Broadcast
 - Advanced

At a Glance

Quick Device Find

Go

Last Discovery Completed

Thu Aug 22, 2002 at 08:48 AM

Monitored Devices

- 1 Monitored Devices
- 0 Critical Devices
- 0 Caution Devices

Discovery Methods

Discovery Method Selection

| | |
|---|-------------------------------------|
| IP Broadcast | <input checked="" type="checkbox"/> |
| IPX Broadcast | <input type="checkbox"/> |
| IPX Service Query | <input type="checkbox"/> |
| Multicast/SLP (Service Location Protocol) | <input type="checkbox"/> |
| ARP Table | <input type="checkbox"/> |
| Specified Addresses | <input type="checkbox"/> |
| IP Range | <input type="checkbox"/> |
| Remote Discovery Agent | <input type="checkbox"/> |
| NetWare Bindery | <input type="checkbox"/> |
| NetWare File Server Login | <input type="checkbox"/> |
| Listen For New Devices - SLP | <input type="checkbox"/> |
| Listen For New Devices - SAP | <input type="checkbox"/> |
| Listen For New Devices - BOOTP | <input type="checkbox"/> |

Apply

Start Background Discovery:

Start

Discovery - Scheduled

The screenshot shows the HP Web Jetadmin interface in a Microsoft Internet Explorer browser window. The browser title is "HP Web Jetadmin - Main Page - Microsoft Internet Explorer provided by Hewlett-Packard" and the address bar shows "http://metz:8000".

The interface features a navigation pane on the left with the HP logo and "invent" text. The navigation menu includes "Device Management" (selected) and "Discovery" (expanded), with sub-items like "Discovery Results", "Properties", "Schedule" (highlighted), "IP Broadcast", "IPX Broadcast", and "Advanced".

The main content area is titled "Discovery Schedule" and contains three sections:


- Automatic Discovery Configuration ?**: Includes fields for Date (Month: January, Day: 1, Year: 2002), Time (Hour: 1, Minute: 00, AM/PM: AM), and Recur Interval (One Time). An "Apply" button is located to the right.
- Current Schedules ?**: Displays the message "No Discoveries Currently Scheduled".
- Time Preference ?**: Shows a dropdown menu set to "12 Hour" with the text "(12 Hour)" to its left.

At the bottom of the page, there are three summary sections:



- Quick Device Find ?**: A search box with a "Go" button.
- Last Discovery Completed ?**: Displays "No Discovery Has Been Finished".
- Monitored Devices ?**: Shows a summary: "1 Monitored Devices", "0 Critical Devices", and "1 Caution Devices".

The browser status bar at the bottom indicates "Done" and "Local intranet".



IP Broadcast





IPX Broadcast





General Service Query (GSQ)



Multicast



ARP Table



Specified Addresses

Discovery Configuration (Specified Addresses)

Discovery Configuration (Specified Addresses)

Upload or Append a Host File:

Current File on Server: (none)

Import a Jetadmin Jetset.ini File:


Add Device to Host File

IP Address:

IP Hostname:

IPX Address: 00000000

Hardware Address:



IP Range

Discovery Configuration (IP Range)


Discovery Configuration (IP Range)

Add a range of IP addresses to discover.:



Start Search from... . . .

End Search on... . . .



Determine Current Subnet and Add IP Range:





Remote Discovery Agent (RDA)




NetWare Bindery



NetWare Login Scan



Listen for New Devices



Discovery Results

Discovery Results

Home Folder ?

| Device | IpBroadcast | IpxBroadcast | Range | ArpTable | HostsFile | IpMulticast | IpxServiceQuery | IpxBinderyS |
|--------------|-------------|--------------|-------|----------|-----------|-------------|-----------------|-------------|
| 0001E64291BA | | | | | | | | |
| 0001E64291BD | | X | | | | | | |
| 0001E642B149 | | | | | | | | |
| 0001E642B154 | | | | | | | | |
| 0001E6443CD9 | X | | | | | | | |
| 0001E64556B3 | | | | | | | | |
| 0001E645C6C8 | | | | | | | | |
| 0001E646EBC4 | X | X | | | | | | |
| 0001E6472C50 | | | | | | | | |
| 0001E6474C9C | | | | | | | | |
| 0001E6474CA0 | X | X | | | | | | |
| 0001E647E9EA | | | | | | | | |
| 0001E64AA349 | | | | | | | | |
| 0001E64CA86E | | X | | | | | | |



HP WORLD 2003

Solutions and Technology Conference & Expo

Interex, Encompass and HP bring you a powerful new HP World.

